

BLANK PAGE



Indian Standard

METHOD OF SAMPLING FOR THE DETERMINATION OF PESTICIDE RESIDUES

PART 1 AGRICULTURAL AND FOOD COMMODITIES

(First Reprint OCTOBER 1997)

UDC 664: 543 (632.951.028)

© Copyright 1986

BUREAU OF INDIAN STANDARDS MANAK BHAVAN, 9 BAHADWR SHAH ZAFAR MARG NEW DELHI 110002

Indian Standard

METHOD OF SAMPLING FOR THE DETERMINATION OF PESTICIDE RESIDUES

PART | AGRICULTURAL AND FOOD COMMODITIES

Sampling Methods for Food Products and Agricultural Inputs Sectional Committee, AFDC 57

Chairman

Representing

Prof Prem Narain

Indian Agricultural Statistics Research Institute (ICAR), New Delhi

Members

SHRI S. C. RAI (Alternate to Prof Prem Narain)

COL K. N. ACHARYA

Quartermaster General's Branch, Army Headquarters, New Delhi

LT-COL S. K. BHATTACHARYA (Alternate)

AGRICULTURAL MARKETING Directorate of Marketing and Inspection (Ministry Adviser to the Government OF of Rural Reconstruction), Faridabad India

SHRI S. K. SHARMA (Alternate)

SHRI R. C. ARORA SHRI G. S. AURORA

DRD. R. GHODEKAR

Directorate of Economics and Statistics (Ministry of Agriculture), New Delhi

Federation of Biscuit Manufacturers of India,, Delhi

SHRI D. S. CHADHA

Central Committee for Food Standards (Ministry of Health and Family Welfare), New Delhi

SMT **Debi** Mukherjee **(** *Alternate* **)** Shri P. R. Dongre Cer

Central Statistical Organization, New Delhi National Dairy Research Institute, Karnal

SHRI **SITA** RAM SWAMI (*Alternate*)
SHRI RATAN GUPTA Rolle

Roller Flour Millers' Federation of India, New Delhi

SHRI V. K. VENKATARAMAN (*Alternate*)
DR R. C. Gupta Directors

Directorate of Plant Protection, 'Quarantine and Storage (Ministry of Agriculture), Faridabad

Shri R. S. Sharma (Alternate)

(Continued on page 2)

© Copyright 1986

BUREAU OF INDIAN STANDAPDS

This publication is protected under the *Indian Copyright Act* (XIV of 1957) and reproduction in whole or in part by any means except with written permission of the publisher shall be deemed to be an infringement of copyright under the said Act.

(Continued from page 1)

Members

Representing

DR E. K. JAYANARAYANAN Mohan Meakin Ltd, Mohan Nagar

SHRI JITENDRA MOHAN (Alternate)

DRD. C. JOHRI Central Avian Research Institute, Izatnagar

Shri Sijshil Kumar (Alternate)

SHRIM.N. KHAN Department of Dairy Development (Ministry of Agriculture), New Delhi

DEPUTY **COMMISSIONER** (DAIRY PRODUCTS) (Alternate)

SHRI K. N. NAMBOODRI Tea Board, Calcutta

SHRI R. N. MONDAL (Alternate)

SHRI K. R. NARAYANA RAO Food Corporation of India, New Delhi

SHRI T. N. RAMACHANDRA RAO
(Alternate)

PROF OF SUGAR CHEMISTRY KUMARI D. RAJALAKSHMI

National Sugar Institute, Kanpur

Central Food Technological Research Institute (CSIR), Mysore

Shri B. S. Ramfsh (Alternate)

DR K. G. RAMAMURTHY Indian Statistical Institute. Calcutta

SHRI A. N. NANKANA (Alternate

SHRI KISHORE KUMAR SHAMJI India Pepper and Spice Trade Association, Cochin SHRI MANIKANT V. KHONA (Alternate)

SHRI G. D. SHARMA Minist

Ministry of Food and Civil Supplies (Department of Food)

DR B. K. NANDI (*Alternate*)
DR L. N. SINGH

Indian Veterinary Research Institute (ICAR), Izatnagar

DR N. **SHARMA** (*Alternate*) SHRI G. W. **DATEY**, Director (Statistics)

Director General, BIS (Ex-officio Member)

Secretary

SHRI A. K. TALWAR

Joint Director (Statistics), BIS

Panel on the Method of Sampling for Pesticide Residues Analysis, AFDC 57: P-4

Convener

DR N. P. AGNIHOTRI

Indian Agricultural Research Institute (ICAR),
New Delhi

Members

DR R. P. CHAWLA

DR (SMT) G. MUKHERJEE

DR P. K. RAY

Punjab Agricultural University, Ludhiana Central Insecticides Laboratory, Faridabad

Industrial Toxicology Research Centre (CSIR),
Lucknow

Indian Standard

METHOD OF SAMPLING FOR THE DETERMINATION OF PESTICIDE RESIDUES

PART I AGRICULTURAL AND FOOD COMMODITIES

0. FOREWORD

- **0.1** This Indian Standard (Part 1) was adopted by the Indian Standards Institution on 26 November 1985, after the draft finalized by the Sampling Methods for Food Products and Agricultural Inputs Sectional Committee had been approved by the Agricultural and Food Products Division Council.
- 0.2 For the examination of a lot in order to decide whether it complies with maximum 'limits for pesticide residues, it is necessary to provide a representative sample for analysis. The objective of this sampling procedure is to obtain a final sample representative of the lot in order to determine its average pesticide residue content in agricultural and food commodities.
- 0.3 The sites, techniques, frequency of sampling and the size and number of samples must allow the analytical results to be statistically evaluated.
- 0.4 Whereas this standard (Part 1) covers the method of drawing, preparing and storing the samples of agricultural and food commodities for the determination of pesticide residues, the method of sampling in respect of environment (air, water and soil) for the same purpose will be covered in Part 2.
- 0.5 In the preparation of this standard, assistance has been derived from Codex document 'Recommended Method of Sampling for the Determination of Pesticide Residues', CAC/Vol XIII-First Ed. 3 1 October 1983.
- 0.6 In reporting the results of a test or analysis, if the final value, observed or calculated, is to be rounded off, it shall be done in accordance with IS: 2-1960*.

^{*}Rules for rounding off numerical values (revised).

1. SCOPE

1.1 This standard (Part 1) prescribes the procedures for drawing, preparing and storing the samples for the examination of a lot of agricultural and food commodities with respect to pesticide residues analysis.

2. TERMINOLOGY

- **2.1** Lot-An identifiable quantity of goods delivered at one time, having or presumed to have common properties or uniform characteristics such as the same origin, the same variety, the same consignor and the same type of packing. Several lots may make up a consignment.
- 2.2 **Consignment** A quantity of material covered by a particular consignment note or shipping document. Lots in the same consignment may be delivered at different times and may have different amounts of pesticide residues.
- 2.3 **Primary Sample-A** quantity of material taken from a single place in the lot.
- 2.4 Bulk Sample Combined total of all the primary samples taken from the same lot.
- 2.5 **Final Sample** Bulk sample or representative part of the bulk sample to be used for control purposes.
- 2.6 **Laboratory Sample** Sample submitted to the laboratory for testing. The final sample may be used as a whole or subdivided into representative portions (laboratory sample), if required.
- 2.7 **Test Sample -The** sample as prepared by the laboratory for testing after suitable reduction of the laboratory sample, if required.

3. GENERAL REQUIREMENTS OF SAMPLING

- 3.0 In drawing, preparing and storing the test samples, the following precautions and directions shall be observed.
- 3.1 In the course of taking the primary samples and in all subsequent procedures, precautions must be taken to avoid contamination of the samples or any other changes which would adversely affect the amount of residues or the analytical determinations or make a laboratory sample not representative of bulk sample.
 - **3.1.1 Diseased** or under-sized commodities may also be avoided.

- 3.2 As many pesticides are photo-degradable, it is advisable to protect samples and any solution or extracts from needless exposure to light.
- 3.3 In the case of solid/dry products, plastic/polyethylene/kraft paper bags shall be used and for liquid/wet products, glass jars or bottles with alumiuium foil or metal teflon-lined containers shall be used.

Note — Polyethylene bags must be put in additional heavy paper bags, as **poly**ethylene bags alone may become brittle in contact with dry ice if kept frozen.

- 3.4 It must be ensured that glass containers used are entirely free from contamination. The operation for cleaning of glass containers generally includes:
 - a) Soaking and washing in a high temperature (50° C) bath or synthetic detergent in water;
 - b) Rinsing with tap water;
 - c) Rinsing with distilled water; and
 - d) Rinsing with distilled acetone.
- **3.4.1** Cleaning of glass containers used to concentrate samples (evaporative concentrated tubes) should include a soak for at least 15 min in hot (40 to 50" C) chromic acid cleaning solution (observe rigid safety precautions) after the tap water rinse to remove all traces of organic material. This soak is followed by thorough rinsing with tap and distilled water and then with acetone and hexane. Pipettes are washed in the same way.
- 3.4.2 As an extra precaution, each piece of glass containers should be rinsed with the solvent to be employed in the analysis immediately before use. As soon as possible after a piece of glass containers has come in contact with a sample containing pesticides, it should be mixed with acetone to remove surface residues.
- 3.5 Aluminium foil can be cleaned by agitating it in analytical **reagent** grade acetone followed by safe rinsing with pesticide grade ethyl acetate and hexane.
- 3.6 Samples should be analysed as soon as possible after their **collection**. If storage of sample before analysis is necessary, it should be **under** prescribed conditions which preserve the integrity of the original sample.
- 3.7 Agricultural or environmental samples that are to be analysed for organophosphates should be placed in tight containers and stored in **deep** freezing as soon as possible after sampling, unless sample preparation is to be conducted within a few hours.

- **3.8** If lengthy storage is required prior to analysis, a good alternative to the storage of sample is to extract the sample at once, remove most or all the solvent, and store the extract at a low temperature. Decomposition in samples that must be stored can be evaluated by storing spiked controls along with the samples.
- 3.9 It may be ensured that a sample after drawing should reach the laboratory for analysis within 24 h and should be stored in a freeze below 0°C.

4. SAMPLING PROCEDURE

4.1 Each lot (see 2.1) which is to be examined must be sampled separately.

4.2 **Primary Samples**

- **4.2.1** The primary samples should be taken throughout the lot. Departures from this requirement must be separately recorded.
- 4.2.2 The primary samples should be of similar size and the combined total of all the primary samples (bulk sample) must not be less than that required for the final sample, bearing in mind the possible requirement of further reduction and the provision of adequate laboratory samples.
- 4.2.3 The minimum number of primary samples to be taken shall be according to Table 1.

TABLE 1 SCALE OF SAMPLING

| WEIGH.1 OF LOT (kg) | MINIMUM NUMBER OF PRIMARY SAMPLES TO BE TAKEN | |
|----------------------------|--|--|
| (1) | (2) | |
| up to 50 | 3 | |
| 51 to 500 | 5 | |
| 501 to 2000 | 10 | |
| 2001 and above | 15 | |

Note — When the material is supplied in bulk, for bigger size food grains, smaller size food grains and milled cereals and pulses products, the alternative sampling procedures given in the relevant Indian standard may be used provided this departure is recorded and the minimum requirements given in 4.5.1 are met.

4.2.4 For processed products in cans, bottles, packages or other small containers, especially when the mass of the lot is not known, the minimum number of primary samples to be taken from the lot shall be according to Table 2.

TABLE 2 MINIMUM NUMBER OF PRIMARY SAMPLES FROM A LOT CONTAINING PACKAGES

| NUMBER OF CANS, PACKAGES OR CONTAINERS IN THE LOT | MINIMUM NUMBER OF PRIMARY SAMPLESTO BE TAKEN |
|---|---|
| (1) | (2) |
| up to 25 | 1 |
| 26 to 100 | 5 |
| 101 to 250 | 10 |
| 251 and above | 15 |

4.2.5 For homogeneous lots, a sample fully representative of the whole is obtained by withdrawing any single sample.

1.3 Preparation of Bulk Sample

- 4.3.1 The bulk sample shall be made by combining and mixing the primary samples.
- 4.4 Preparation of Final Sample
 - 4.4.1 The bulk sample should, if possible, constitute the final sample.
- 4.4.2 If the bulk sample is too large, the final sample may be prepared from it by a suitable method of reduction. In the process of reduction, however, individual fruits and vegetables must not be cut or divided.

4.5 Preparation of the Laboratory Sample

4.5.1 The minimum amount of material to be submitted to the laboratory that is the size of the laboratory sample shall be as follows:

| Commodity | Exarnple | Minimum Quantity Required |
|---|--|-------------------------------|
| (1) | (2) | (3) |
| Small or light products, unit mass up to about 25 g | barries peas | 1 kg |
| Medium sized products, unit mass usually between 25 and 250 g | apples oranges carrots potatoes | 1 kg (at least 10 units) |
| Large sized products, unit mass over 250 g | cabbages melons cucumbers | 2 kg (at least 5 units) |
| Dairy products | milk cheese butter cream | 0·5 kg |
| Poultry products | eggs | 0.5 kg (10 units if whole) |
| Animal tissue | meat, chicken, fish and their products | 0·5 kg |
| Oils and fats | cottonseed oil | 0·5 kg |
| Spices | cumin, coriander | • 0•25 kg |
| Cereals and cereal products | wheat, rice | 1 kg |
| Forage | grass, straw | 1 kg |
| Animal feeds | husk, bran, oil cakes | 1 kg |
| Beverage products | coffee, tea, cocoa | 0·25 kg |

4.5.1.1 A test sample may be obtained by reducing a laboratory sample by a suitable method of reduction. A typical example is given in Fig. 1. Out of the three test samples each of 80 g finally obtained, two may be used for analysis and one may be kept as a referee sample.




Fig. 1 Typical Procedure for Reduction of A Laboratory Sample

5. PACKAGING AND TRANSPORTATION OF LABORATORY SAMPLES

- **5.1** The laboratory sample must be placed in a clean inert container offering adequate protection from external contamination and protection against damage or deteriorations of the sample in transit. The container must then be sealed in such a manner that unauthorised opening is detectable, and sent to the laboratory as soon as possible, taking necessary precautions against leakage or spoilage, for example frozen foods should be kept frozen and perishable samples should be kept cooled or frozen.
- 5.2 Each laboratory sample must be correctly identified and should be accompanied by a note giving the nature and origin of the sample and the date and place of sampling together with any additional information likely to be of assistance to the analyst.

BUREAU OF INDIAN STANDARDS

Headquarters

Manak Bhavan, 9 Bahadur Shah Zafar Marg, NEW DELHI 110002

Telephones: 323 0131,323 3375,323 9402

Fax: 91 11 3234062, 91 11 3239399, 91 11 3239362

Telegrams: Manaksanstha (Common to all Offices)

| Central Laboratory: | (Common to all Tele | Offices) ephone |
|---|---------------------|--------------------|
| Plot No. 20/9, Site IV, Sahibabad Industrial Area, Sahibabad 201010 | 6-7 | 7 00 32 |
| Regional Offices: | | |
| Central : Manak Bhavan, 9 Bahadur Shah Zafar Marg, NEW DELHI | 110002 323 | 376 17 |
| *Eastern: I/I 4 CIT Scheme VII M, V.I.P. Road, Maniktola, CALCUTTA | 700054 337 | 86 62 |
| Northern: SCO 335-336, Sector 34-A, CHANDIGARH 160022 | 60 3 | 38 43 |
| Southern: C.I.T. Campus, IV Cross Road, CHENNAI 600113 | 235 | 23 15 |
| †Western: Manakalaya, E9, Behind Marol Telephone Exchange, And MUMBAI 400093 | neri (East), 832 | 92 95 |
| Branch Offices:: | | |
| 'Pushpak', Nurmohamed Shaikh Marg, Khanpur, AHMEDABAD 380 | 001 550 | 01348 |
| ‡Peenya Industrial Area, 1 st Stage, Bangalore-Tumkur Road, BANGALORE 560058 | 839 | 49 55 |
| Gangotri Complex, 5th Floor, Bhadbhada Road, T.T. Nagar, BHOPA | AL 462003 55 4 | 40 21 |
| Plot No. 6263, Unit VI, Ganga Nagar, BHUBANESHWAR 751001 | 40 3 | 36 27 |
| Kalaikathir Buildings, 670 Avinashi Road, COIMBATORE 641037 | 21 (| 01 41 |
| Plot No. 43, Sector 16 A, Mathura Road, FARIDABAD 121001 | 8-28 | 8 88 01 |
| Savitri Complex, 116 G.T. Road, GHAZIABAD 201001 | 8-7 | 1 1996 |
| 53/5 Ward No.29, R.G. Barua Road, 5th By-lane, GUWAHATI 7810 | 03 541 | 1137 |
| 5-8-56C, L.N. Gupta Marg, Nampally Station Road, HYDERABAD 5 | 00001 201 | 1083 |
| E-52, Chitaranjan Marg, C-Scheme, JAIPUR 302001 | 37 2 | 29 25 |
| 117/418B, Sarvodaya Nagar, KANPUR 208005 | 21 (| 68 76 |
| Seth Bhawan, 2nd Floor, Behind Leela Cinema, Naval Kish LUCKNOW 226001 | ore Road, 23 8 | 89 23 |
| NIT Building, Second Floor, Gokulpat Market, NAGPUR 440010 | 52 5 | 51 71 |
| Patliputra Industrial Estate, PATNA 800013 | 26 2 | 23 05 |
| institution of Engineers (India) Building 1332 Shivaji Nagar. PUNE 4 | ¥11005 32 3 | 36 35 |
| T.C. No. 14/1 421, University P. 0. Palayam, THIRUVANANTHAPURAN | 1 695034 621 | 17 |
| *Sales Office is at 5 Chowringhee Approach, P.O. Princep Street, CALCUTTA 700072 | 271 | 1085 |
| †Sales Office is at Novelty Chambers, Grant Road, MUMBAI 400007 | 309 | 65 28 |
| ‡Sales Office is at 'F' Block, Unity Building, Narashimaraja Square, BANGALORE 560002 | 222 | 39 71 |

TO

IS:11380(Part 1)-1985 METHOD OF SAMPLING FOR THE DETERMINATION OF PESTICIDE RESIDUES

PART 1 AGRICULTURAL AND FOOD COMMODITIES

 $\frac{(\text{Cover page, } \underline{\text{pages}} \quad \text{and 3, } \underline{\text{title}})}{\text{Substitute the following for the existing }}$

<u>'Indian Standard</u>

METHOD OF SAMPLING FOR DETERMINATION
OF PESTICIDE RESIDUES IN
AGRICULTURAL AND FOOD COMMODITIES '

(<u>Page 1</u> and all other pages) - Delete 'Part 1' wherever it occurs.

(AFDC 57)